

$^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ [1999Sa59](#),[1998Dr07](#)

Type	Author	History
Full Evaluation	E. A. Mccutchan	Citation
		NDS 126, 151 (2015)
		Literature Cutoff Date
		1-Feb-2015

2000Dr11: $^{176}\text{Yb}(^7\text{Li},3n\gamma)$, $E(^7\text{Li})=28$ MeV. Measured $E(\text{ce})$, $I(\text{ce})$, $E\gamma$, and $I\gamma$ using a superconducting solenoidal spectrometer operated in lens mode and a Compton-suppressed Ge detector. Revisions to the level scheme from [1998Dr07](#) are also given; some changes are based on the new results from [2000Dr11](#) and some are corrections of typographical errors.

1999Sa59: $^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma)$, $E(^{11}\text{B})=52$ MeV for PEX array and 55, 57 MeV for NORDBALL array. Measured $E\gamma$, $I\gamma$, $\gamma\gamma$, $\gamma\gamma\alpha$, $\gamma\gamma(\theta)$ (DCO), and $\gamma\gamma(t)$ using PEX array and NORDBALL array. PEX array consisted of four Compton-suppressed Euroball Cluster detectors, one Clover detector, and 25 silicon detectors. The NORDBALL array consisted of 18 Compton-suppressed coaxial Ge detectors, two LEPS detectors, and 30 silicon detectors. Configuration assignments using BCS calculations.

1998Dr07, 1996Dr02: $^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma)$, $E(^{11}\text{B})=55,65$ MeV and $^{176}\text{Yb}(^7\text{Li},3n\gamma)$, $E(^7\text{Li})=28$ MeV. Measured $E\gamma$, $I\gamma$, $\gamma\gamma(t)$, $\gamma(\theta)$, $\gamma\gamma$, and $\gamma\alpha$ coincidences using the CAESAR array consisting of six Compton-suppressed HPGe detectors and a particle array with 14 fast/slow plastic combinations.

The level schemes of [1999Sa59](#) and [1998Dr07/2000Dr11](#) are in overall good agreement. Major discrepancies are noted in the comments. As the level scheme of [1999Sa59](#) is more extensive, it is in general adopted here.

a: [Additional information 1](#).

a: [Additional information 2](#).

 ^{180}Ta Levels

E(level) [†]	J [‡]	T _{1/2} [#]	Comments
0.0 [@]	1 ⁺		
39.50 [@] 10	2 ⁺		
77.1 ^e 8	9 ⁻		Additional information 3 .
107.60 ^j 10	0 ⁻	19.2 ns 7	T _{1/2} : weighted average of 23 ns 2 (1999Sa59) and 18.7 ns 7 (1998Dr07), both from $\gamma\gamma(t)$.
110.50 [@] 15	3 ⁺		
130.48 ^j 19	1 ⁻		
171.00 ^j 17	2 ⁻		
177.76 ^c 8	8 ⁺	70.0 ns 14	T _{1/2} : other: 50 ns 19 from $\gamma\gamma(t)$ in 1999Sa59 .
184.34 [@] 17	4 ⁺		
233.90 ^j 20	3 ⁻		
279.93 ^e 7	10 ⁻		
310.05 [@] 18	5 ⁺		
317.80 ^j 23	4 ⁻		
356.95 9	7 ⁺	42 ns 3	K ^π =7 ⁺ , $\pi 5/2[402]\nu 9/2[624]$. T _{1/2} : weighted average of 55 ns 12 (1999Sa59) and 41 ns 3 (1998Dr07), both from $\gamma\gamma(t)$.
374.03 ^c 10	9 ⁺		
415.44 [@] 19	6 ⁺		
419.51 ^j 25	5 ⁻		
423.00 ^k 15	1 ⁻		
463.07 ^d 13	7 ⁻	31.2 ns 19	T _{1/2} : weighted average of 35 ns 5 (1999Sa59) and 30.5 ns 21 (1998Dr07), both from $\gamma\gamma(t)$.
477.46 ^k 21	2 ⁻		
505.03 ^e 7	11 ⁻		
508.1? 3	(2)		E(level): reported only in 2000Dr11 .
515.64 ^b 8	8 ⁺	<1 ns	
519.36 ^{&} 17	4 ⁺	37.4 ns 20	T _{1/2} : weighted average of 48 ns 8 (1999Sa59) and 36.7 ns 21 (1998Dr07), both from $\gamma\gamma(t)$. J ^π : assignment from 2000Dr11 based on M1 409γ to 3 ⁺ . J ^π assignment of 4 ⁽⁻⁾ and 4 in 1998Dr07 and 1999Sa59 , respectively.
538.5? 3	(2)		E(level): reported only in 2000Dr11 , 1998Dr07 .
543.73 ^k 20	(3 ⁻)		

Continued on next page (footnotes at end of table)

$^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ **1999Sa59,1998Dr07 (continued)** ^{180}Ta Levels (continued)

E(level) [†]	J^π [‡]	$T_{1/2}$ [#]	Comments
547.3 ^j 3	6 ⁻		
574.22 ⁱ 15	6 ⁻	<2 ns	
575.64 ^f 10	8 ⁺	<1 ns	
591.6 ^a 11	(5 ⁺)	16.1 ns 19	$T_{1/2}$: weighted average of 13 ns 5 (1999Sa59) and 16.6 ns 21 (1998Dr07), both from $\gamma\gamma(t)$. J^π : proposed as (5 ⁻) in 1998Dr07 and 1999Sa59 based on tentative 4 ⁽⁻⁾ assignment to 519.4-keV level.
595.26 ^c 10	10 ⁺		
599.35 [@] 19	7 ⁺		
641.18 ^{&} 19	5 ⁺		
657.73 ^k 22	(4 ⁻)		
679.97 ^d 15	8 ⁻		
683.85 14	(6)		J^π : assignment from 1998Dr07 .
685.7 ^j 3	7 ⁻		
722.6? 5	(4)		E(level): 732.6 in Table 1 of 1998Dr07 seems a misprint. Level reported only by 1998Dr07 , 2000Dr11 .
723.21 ^b 10	9 ⁺		
732.2 ^a 11	(6 ⁺)		J^π : proposed as (6 ⁻) in 1998Dr07 and 1999Sa59 based on (5 ⁻) assignment to 591.6-keV level.
734.22 [@] 20	8 ⁺		
752.12 ^e 9	12 ⁻		
762.89 ⁱ 15	7 ⁻		
775.8? 11	(2)		E(level): level reported only by 1998Dr07 , 2000Dr11 .
786.85 ^{&} 21	6 ⁺		
806.77 ^f 10	9 ⁺		
830.75 14	(6)		J^π : assignment from 1998Dr07 .
840.74 ^c 11	11 ⁺		
856.6 ^j 3	8 ⁻		
865.35 25	(7)		J^π : assignment from 1998Dr07 .
890.32 18	(7)		J^π : assignment from 1998Dr07 .
893.9 ^a 11	(7 ⁺)		J^π : proposed as (7 ⁻) in 1998Dr07 and 1999Sa59 based on (6 ⁻) assignment to 732.2-keV level.
907.0 11	(7)		E(level): level reported only by 1998Dr07 .
922.08 ^d 15	9 ⁻		
956.13 ^b 10	10 ⁺		
956.16 ^{&} 22	7 ⁺		
975.5 ⁱ 4	8 ⁻		
976.01 [@] 20	9 ⁺		
1016.45 17	(7)		J^π : assignment from 1998Dr07 .
1020.44 ^e 10	13 ⁻		
1030.2 ^j 3	9 ⁻		
1035.0? 11	(7)		E(level): level reported only by 1998Dr07 .
1057.00 ^f 10	10 ⁺		
1076.2 ^a 11	(8 ⁺)		J^π : proposed as (8 ⁻) in 1998Dr07 and 1999Sa59 based on (7 ⁻) assignment to 893.9-keV level.
1109.87 ^c 12	12 ⁺		
1140.07 [@] 21	10 ⁺		
1148.72 ^{&} 24	8 ⁺		
1174.84 ^p 13	(11)		J^π : assignment from 1998Dr07 .
1188.54 ^d 16	10 ⁻		
1212.27 ^b 11	11 ⁺		
1215.6 ⁱ 4	9 ⁻		
1240.7 ^j 3	10 ⁻		
1252.64 14			

Continued on next page (footnotes at end of table)

$^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ **1999Sa59,1998Dr07 (continued)** ^{180}Ta Levels (continued)

E(level) [†]	J ^π [‡]	T _{1/2} [#]	Comments
1270.73 22			
1277.4 ^a 11	(9 ⁺)		J ^π : proposed as (9 ⁻) in 1998Dr07 and 1999Sa59 based on (8 ⁻) assignment to 1076.2-keV level.
1293.24 22			
1309.49 ^e 11	14 ⁻		
1326.87 ^f 12	11 ⁺		
1338.93 ^o 8	11 ⁻		
1353.74 24			
1363.9 ^{&} 5	9 ⁺		E(level): reported only in 1998Dr07 , 2000Dr11 .
1389.34 ^p 22			
1401.55 ^c 13	13 ⁺		
1434.80 [@] 21	11 ⁺		
1446.8 ^j 3	11 ⁻		
1452.0 ^s 8	15 ⁻	31.2 μs 14	T _{1/2} : from $\gamma\gamma(t)$ in 1996Dr02 . Other: 30 μs 8 from $\gamma\gamma(t)$ in 1999Sa59 .
1463.54 22			
1478.37 ^d 17	11 ⁻		
1490.15 ^b 12	12 ⁺		
1498.0 ^a 11	(10 ⁺)		J ^π : proposed as (10 ⁻) in 1998Dr07 and 1999Sa59 based on (9 ⁻) assignment to 1277.4-keV level.
1541.63 13			
1546.51 ^o 18	(12)		
1573.34 22			
1580.7 4	(12)		E(level): reported only by 1998Dr07 .
1597.20 ⁿ 9	13 ⁻	<1 ns	T _{1/2} : Other: <2.4 ns from $\gamma\gamma(t)$ in 1998Dr07 .
1616.31 ^f 14	12 ⁺		
1618.62 ^e 12	15 ⁻		
1629.55 [@] 22	12 ⁺		E(level): as proposed in 1999Sa59 . The 12 ⁺ member of the 1 ⁺ ground state band is proposed in 1998Dr07 , 2000Dr11 at 1774 keV with two tentative depopulating transitions of 337 keV and 532 keV. Both transitions are placed as depopulating the 1967-keV level (13 ⁺ member of the 1 ⁺ g.s. band) in 1999Sa59 .
1671.43 ^q 12	(12)		J ^π : assignment from 1998Dr07 .
1698.5 ^j 3	12 ⁻		
1708.14 ^h 14	11 ⁽⁺⁾	<1 ns	
1715.34 ^c 14	14 ⁺		
1734.7 ^a 11	(11 ⁺)		J ^π : proposed as (11 ⁻) in 1998Dr07 and 1999Sa59 based on (10 ⁻) assignment to 1498.0-keV level.
1788.16 ^b 13	13 ⁺		
1790.12 ^d 19	12 ⁻		
1791.9 ^s 8	16 ⁻		
1805.61 ^o 12	(13)		
1841.14 13	(13 ⁻)		J ^π : assignment from 1998Dr07 .
1863.2 ^q 3			
1879.83 ⁿ 12	14 ⁻		
1904.20 ^m 14	13		
1904.40 14			
1924.80 ^f 15	13 ⁺		
1941.3 ^j 3	13 ⁻		
1941.40 ^l 14	14 ⁽⁺⁾	<1 ns	
1946.80 ^e 13	16 ⁻		
1967.47 [@] 23	13 ⁺		
1970.84 ^h 17	12 ⁽⁺⁾		

Continued on next page (footnotes at end of table)

$^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ **1999Sa59,1998Dr07 (continued)** ^{180}Ta Levels (continued)

E(level) [†]	J [‡]	T _{1/2} [#]	Comments
2006.08 24			
2050.21 ^b 16	15 ⁺		
2071.00 22			
2105.05 ^b 14	14 ⁺		
2122.8 ^d 3	13 ⁻		
2124.63 ^o 22	(14)		
2156.9 ^s 8	17 ⁻		
2159.8 ^q 4			
2182.46 ⁿ 12	15 ⁻		
2186.6 ^m 4	14		
2197.45 [@] 24	14 ⁺		
2261.0 ^h 3	13 ⁽⁺⁾		
2294.05 ^e 13	17 ⁻		
2320.80 ^l 17	15 ⁽⁺⁾		
2327.6 ^r 10	(16 ⁺)		
2343.9 3			
2354.24 24			
2402.39 ^g 16	16 ⁺		E(level): band assignment from 1999Sa59 , 1998Dr07 identify level as member of $\nu 9/2[624]\pi 7/2[404]$ band.
2410.03 ^c 16	16 ⁺		E(level): band assignment from 1999Sa59 . Not assigned to a particular band structure in 1998Dr07 .
2438.29 ^b 16	15 ⁺		
2456.3 ^q 4			
2503.95 ⁿ 13	16 ⁻		
2544.9 ^s 8	18 ⁻		
2562.3 8			
2567.58 [@] 25	15 ⁺		
2587.9 ^t 8	18 ⁽⁺⁾	22 ns 2	T _{1/2} : weighted average of 22 ns 5 (1999Sa59) and 22 ns 2 (1998Dr07), both from $\gamma\gamma(t)$.
2657.82 ^e 15	18 ⁻		
2660.43 ^g 16	17 ⁺		
2672.1 ^r 8	(17 ⁺)		
2721.20 ^l 20	16 ⁽⁺⁾		
2780.31 ^c 19	17 ⁺		
2787.54 ^b 17	16 ⁺		
2842.5 [@] 4	16 ⁺		
2844.05 ⁿ 16	17 ⁻		E(level): as proposed by 1999Sa59 . The 17 ⁻ band member is reported at 2860 keV and decaying by a 676 γ in 1998Dr07 .
2899.4 ^u 8	19 ⁻	<2 ns	
2943.61 ^g 16	18 ⁺		
2954.2 ^s 8	19 ⁻		
2985.1 ^t 8	19 ⁽⁺⁾		
3041.25 ^e 17	19 ⁻		
3047.8 ^r 8	(18 ⁺)		
3141.40 ^l 22	17 ⁽⁺⁾		
3148.1 ^b 4	17 ⁺		E(level): as proposed by 1999Sa59 . The 17 ⁺ band member is reported at 3136 keV and decaying by a tentative 696 γ in 1998Dr07 .
3173? ^c 4	18 ⁺		
3173.2 4			
3200.7 ⁿ 5	18 ⁻		
3253.29 ^g 18	19 ⁺		
3308.6 ^u 8	20 ⁻		

Continued on next page (footnotes at end of table)

$^{176}\text{Yb}(^{11}\text{B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ **1999Sa59,1998Dr07 (continued)** ^{180}Ta Levels (continued)

E(level) [†]	J^π [‡]	Comments
3383.5 ^s 8	20 ⁻	
3400.1 ^t 8	20 ⁽⁺⁾	
3435.1 ^e 4	20 ⁻	
3435.5 ^r 14	(19 ⁺)	
3532.3 8		
3582.9 ^{?c} 14	(19 ⁺)	
3738.0 ^u 8	21 ⁻	
3828.3 ^s 8	21 ⁻	
3831.8 ^t 8	21 ⁽⁺⁾	
3853.4 ^{?e} 5	(21 ⁻)	
4186.3 ^u 8	22 ⁻	E(level): as proposed by 1999Sa59 . A (22), 4201-keV level decaying by a 462γ is proposed by 1998Dr07 .

[†] From a least-squares fit to $E\gamma$ by evaluator.[‡] From multipolarities of γ transitions and assumed band structure. The J^π assignments from [1999Sa59](#) and [1998Dr07/2000Dr11](#) are in good agreement; exceptions are noted in the comments.[#] From $\gamma\gamma(t)$ in [1999Sa59](#), except where noted.[@] Band(A): $K^\pi=1^+$ band, $\pi7/2^+[404]\nu9/2^+[624]$.[&] Band(B): $K=4^+$ band, $\pi9/2^-[514]\nu1/2^-[521]$.^a Band(C): $K=(5^+)$ band, $\pi9/2^-[514]\nu1/2^-[510]$ ([2000Dr11](#)).^b Band(D): $K^\pi=8^+$ band, $\pi9/2^-[514]\nu7/2^-[503]$.^c Band(E): $K^\pi=8^+$ band, $\pi7/2^+[404]\nu9/2^+[624]$.^d Band(F): $K^\pi=7^-$ band, $\pi7/2^+[404]\nu7/2^-[514]$.^e Band(G): $K^\pi=9^-$ band, $\pi9/2^-[514]\nu9/2^+[624]$.^f Band(H): $K^\pi=8^+$ band, $\pi9/2^-[514]\nu7/2^-[514]$.^g Band(I): $K^\pi=8^+$ band, $\pi7/2^+[404]\nu9/2^+[624]\otimes[\nu i_{13/2}^2]$.^h Band(J): $K^\pi=11^+$ band, $\pi7/2^+[404]\nu9/2^+[624]\nu1/2^-[510]\nu7/2^-[514]$.ⁱ Band(K): $K^\pi=6^-$ band, $\pi7/2^+[404]\nu5/2^-[512]$.^j Band(L): $K^\pi=0^-$ band, $\pi9/2^-[514]\nu9/2^+[624]$.^k Band(M): $K^\pi=1^-$ band, $\pi7/2^+[404]\nu5/2^-[512]$.^l Band(N): $K^\pi=14^{(+)}$ band, 4-quasiparticle band.^m Band(O): $K=13$ band, $\pi7/2^+[404]\nu9/2^+[624]\nu7/2^-[514]\nu3/2^-[512]$.ⁿ Band(P): $K^\pi=13^-$ band, $\nu9/2^+[624]\nu5/2^-[512]\nu3/2^-[512]\nu9/2^-[514]$ ([1999Sa59](#)) or $\nu9/2^+[624]\nu7/2^-[514]\nu1/2^-[510]\nu9/2^-[514]$ ([1998Dr07](#)).^o Band(Q): $K^\pi=11^-$ band, $\nu9/2^+[624]\nu9/2^-[514]\otimes(\gamma-\text{vibration})$.^p Band(R): octupole band.^q Band(S): β band.^r Band(T): $K=(16)$ band, $\nu9/2^+[624]\nu5/2^+[402]\nu7/2^+[404]\nu9/2^-[514]\otimes(\text{octupole vibration})$.^s Band(U): $K^\pi=15^-$ band, $\nu9/2^+[624]\nu9/2^-[514]\nu7/2^+[404]\nu5/2^-[402]$.^t Band(V): $K^\pi=18^{(+)}$ band, $\nu9/2^+[624]\nu7/2^-[514]\nu11/2^+[615]\nu9/2^-[514]$.^u Band(W): $K^\pi=19^-$ band, $\nu9/2^+[624]\nu7/2^-[514]\nu1/2^-[510]\nu5/2^+[402]\nu7/2^+[404]\nu9/2^-[514]$.

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) **1999Sa59,1998Dr07 (continued)** $\gamma(^{180}\text{Ta})$

E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. [#]	α	$I\gamma^&$	Comments
(23@)		130.48	1 ⁻	107.60	0 ⁻				
39.5 1	2.1 4	39.50	2 ⁺	0.0	1 ⁺		9.5 22		
40.7 1	7.3 8	171.00	2 ⁻	130.48	1 ⁻	(M1)	10.21 17	11 2	Mult.: from intensity balance in 1998Dr07 .
55.4 3	5.9 16	477.46	2 ⁻	423.00	1 ⁻			14 3	
62.9 1	16.4 14	233.90	3 ⁻	171.00	2 ⁻	(M1)	2.84	37 3	Mult.: from intensity balance in 1998Dr07 .
63.2 @		171.00	2 ⁻	107.60	0 ⁻			≈1.5	
65.6 3	4.5 16	543.73	(3 ⁻)	477.46	2 ⁻			≈7	
71.0 1	3.5 5	110.50	3 ⁺	39.50	2 ⁺			22 4	
72.2		591.6	(5 ⁺)	519.36	4 ⁺	M1(+E2)	12.6 16	≈1.5	$\alpha(\text{exp}) \approx 10$ from intensity balance (1998Dr07). Mult.: from $\alpha(\text{exp})$.
73.9 1	3.6 6	184.34	4 ⁺	110.50	3 ⁺			≈14	
83.9 1	8.1 4	317.80	4 ⁻	233.90	3 ⁻	(M1)	7.22	12.0 15	Mult.: from intensity balance in 1998Dr07 .
100.6 1	69.0 20	177.76	8 ⁺	77.1	9 ⁻	E1	0.361	130 12	$\alpha(\text{exp}) = 2.5$ 3 (1999Sa59) from intensity balance. Mult.: $\alpha(\text{exp})$ gives E1+M2 with $\delta = 0.242$ 18. However, δ value is inconsistent with RUL for M2 transition. $A_2 = -0.06$ 5 (1998Dr07).
101.7 1	10.2 5	419.51	5 ⁻	317.80	4 ⁻	(M1)	4.16	20.5 15	Mult.: from intensity balance in 1998Dr07 .
105.4 1	6.7 6	415.44	6 ⁺	310.05	5 ⁺			6.7 11	
107.6 1	60 5	107.60	0 ⁻	0.0	1 ⁺	E1	0.303	160 12	$\alpha(\text{exp}) = 0.03$ 3 (1999Sa59) from intensity balance. Mult.: from $\alpha(\text{exp})$. $A_2 = -0.01$ 3 (1998Dr07).
111.1 1	2.63 19	574.22	6 ⁻	463.07	7 ⁻	M1(+E2)	2.8 4	≈6	$\alpha(\text{exp}) = 2.6$ 5 (1999Sa59) from intensity balance. Mult.: from $\alpha(\text{exp})$.
114 @a		538.5?	(2)	423.00	1 ⁻				
114.0 1	1.7 5	657.73	(4 ⁻)	543.73	(3 ⁻)			7.8 21	
121.8 1	2.52 24	641.18	5 ⁺	519.36	4 ⁺			7.0 12	
125.7 1	25 3	310.05	5 ⁺	184.34	4 ⁺			9.9 15	
127.6 1	13.6 5	547.3	6 ⁻	419.51	5 ⁻	(M1)	2.17	24.0 22	$A_2 = -0.31$ 13. Mult.: from intensity balance in 1998Dr07 .
134.8 1	7.3 3	734.22	8 ⁺	599.35	7 ⁺			2.9 8	
138.3 1	12.6 5	685.7	7 ⁻	547.3	6 ⁻			23 3	$A_2 = -0.19$ 9 (1998Dr07).
140.6 1	1.95 22	732.2	(6 ⁺)	591.6	(5 ⁺)			9.5 10	
142.4 @		1452.0	15 ⁻	1309.49	14 ⁻	(M1)	1.590	3.0 7	$\alpha(\text{exp}) = 1.8$ 3 (1996Dr02) from intensity balance. Mult.: from $\alpha(\text{exp})$.
145.6 1	3.10 22	786.85	6 ⁺	641.18	5 ⁺			5.8 8	
147.8 3	0.24 8	723.21	9 ⁺	575.64	8 ⁺				
158.6 1	5.9 3	515.64	8 ⁺	356.95	7 ⁺	(M1)	1.173	6.4 9	Mult.: from conversion coefficient limit in 1998Dr07 .
161.5 1	6.9 5	893.9	(7 ⁺)	732.2	(6 ⁺)			7.3 7	
164.0 1	3.73 17	1140.07	10 ⁺	976.01	9 ⁺			2.1 4	
169.2 1	2.76 19	956.16	7 ⁺	786.85	6 ⁺			2.6 5	
170.9 1	15.9 5	856.6	8 ⁻	685.7	7 ⁻			25.0 23	$A_2 = -0.20$ 9 (1998Dr07).
173.5 1	12.0 4	1030.2	9 ⁻	856.6	8 ⁻			18.8 19	$A_2 = -0.10$ 23 (1998Dr07).

From ENSDF

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued)

<u>$\gamma(^{180}\text{Ta})$ (continued)</u>										
<u>E$_{\gamma}^{\dagger}$</u>	<u>I$_{\gamma}^{\ddagger}$</u>	<u>E$_i$(level)</u>	<u>J$^{\pi}_i$</u>	<u>E$_f$</u>	<u>J$^{\pi}_f$</u>	<u>Mult.[#]</u>	<u>δ</u>	<u>α</u>	<u>I$_{\gamma}^{\&}$</u>	<u>Comments</u>
178 @a		722.6?	(4)	543.73 (3 ⁻)						
178.9 1	17.2 10	356.95	7 ⁺	177.76 8 ⁺		M1		0.836	16.4 12	$\alpha(\text{exp})=0.96$ 10 (1999Sa59) from intensity balance. Mult.: from $\alpha(\text{exp})$. $A_2=-0.14$ 3 (1998Dr07).
178.9 2	0.64 11	1353.74		1174.84 (11)						
181.5 2	0.62 11	865.35	(7)	683.85 (6)			0.7 2			
182.1 1	4.2 3	1076.2	(8 ⁺)	893.9 (7 ⁺)			3.4 9			
183.9 1	15.5 7	599.35	7 ⁺	415.44 6 ⁺			10.1 16			
185.3 @		419.51	5 ⁻	233.90 3 ⁻			3.2 5			
185.7 1	0.70 10	1016.45	(7)	830.75 (6)			0.5 2			
188.6 1	1.28 13	762.89	7 ⁻	574.22 6 ⁻			0.5 2			
192.5 1	1.28 14	1148.72	8 ⁺	956.16 7 ⁺			1.3 3			
194.7 1	1.74 12	1629.55	12 ⁺	1434.80 11 ⁺						
196.2 1	63.7 23	374.03	9 ⁺	177.76 8 ⁺		D+Q	4.7 11	0.49 18	26.2 18	R(DCO)=1.4 2 (1334 γ gated) (1999Sa59). $\delta(E2/M1)$ given as 3.6 to 5.8 in 1999Sa59 based on R(DCO). $A_2=+0.02$ 7 (1998Dr07).
200.8 1	2.25 23	1277.4	(9 ⁺)	1076.2 (8 ⁺)			1.5 3			
202.7 1	140 4	279.93	10 ⁻	77.1 9 ⁻			216 8			
202.7 1	0.79 22	1541.63		1338.93 11 ⁻						
205.9 1	5.34 21	1446.8	11 ⁻	1240.7 10 ⁻			8.5 14			
207.5 1	18.5 7	723.21	9 ⁺	515.64 8 ⁺			6.2 13			
209.3 1	1.1 4	519.36	4 ⁺	310.05 5 ⁺			5.5 6			
210.0 a 1	≤ 0.09	975.5	8 ⁻	762.89 7 ⁻						
210.5 1	11.2 4	1240.7	10 ⁻	1030.2 9 ⁻			16.0 15			
214 @a		722.6?	(4)	508.1? (2)						
214 @		1363.9	9 ⁺	1148.72 8 ⁺			≈ 0.6			
216.8 1	5.7 3	679.97	8 ⁻	463.07 7 ⁻			4.4 6			
218.0 @		574.22	6 ⁻	356.95 7 ⁺			5.1 6			
218.5 1	7.1 4	575.64	8 ⁺	356.95 7 ⁺			2.4 3			
220.0 2	0.91 17	1498.0	(10 ⁺)	1277.4 (9 ⁺)			0.8 2			
221.1 1	24.4 8	595.26	10 ⁺	374.03 9 ⁺			9.0 16			
225.0 1	98 3	505.03	11 ⁻	279.93 10 ⁻		D+Q	0.4		142 9	R(DCO)=1.1 1 (1092 γ E2 gated) (1999Sa59). δ : from R(DCO) analysis. $A_2=+0.17$ 9 (1998Dr07).
229.7 5	0.80 13	547.3	6 ⁻	317.80 4 ⁻			3.2 4			
231.0 5	3.1 3	415.44	6 ⁺	184.34 4 ⁺			3.4 4			
231.0 1	4.7 3	806.77	9 ⁺	575.64 8 ⁺	D		0.9 2			
232.8 1	12.7 5	956.13	10 ⁺	723.21 9 ⁺			3.3 5			
236.8 2	0.32 12	1734.7	(11 ⁺)	1498.0 (10 ⁺)			≈ 0.4			
241.7 1	8.9 4	976.01	9 ⁺	734.22 8 ⁺			4.8 6			
241.8 1	2.33 14	922.08	9 ⁻	679.97 8 ⁻			2.0 4			

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued) $\gamma(^{180}\text{Ta})$ (continued)

E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. [#]	δ	α	$I_\gamma^{\&}$	Comments
242.8 <i>I</i>	2.89 <i>I3</i>	1941.3	13 ⁻	1698.5	12 ⁻				≈ 3	
245.4 <i>I</i>	8.2 <i>3</i>	840.74	11 ⁺	595.26	10 ⁺				2.4 <i>3</i>	
246.9 <i>I</i>	49.8 <i>I6</i>	752.12	12 ⁻	505.03	11 ⁻				67 <i>4</i>	$A_2=+0.20$ 9 (1998Dr07).
250.0 <i>I</i>	4.02 <i>I3</i>	1057.00	10 ⁺	806.77	9 ⁺				≈ 0.8	
250.2 <i>I</i>	0.89 <i>8</i>	2660.43	17 ⁺	2410.03	16 ⁺					
251.6 <i>I</i>	4.21 <i>I8</i>	1698.5	12 ⁻	1446.8	11 ⁻				4.0 <i>6</i>	
252.1 <i>I</i>	8.5 <i>5</i>	423.00	1 ⁻	171.00	2 ⁻				13.6 <i>I7</i>	$A_2=-0.18$ 4 (1998Dr07).
256.0 @		830.75	(6)	574.22	6 ⁻				1.2 <i>4</i>	
256.0 <i>I</i>	7.2 <i>3</i>	1212.27	11 ⁺	956.13	10 ⁺				1.5 <i>3</i>	
257.8 <i>I</i>	0.90 <i>8</i>	2660.43	17 ⁺	2402.39	16 ⁺					
258.3 <i>I</i>	9.2 <i>4</i>	1597.20	13 ⁻	1338.93	11 ⁻	Q			12 <i>3</i>	R(DCO)=1.2 2 (1262 γ gated) (1999Sa59).
262.7 <i>I</i>	1.26 <i>I3</i>	1970.84	12 ⁽⁺⁾	1708.14	11 ⁽⁺⁾					
266.2 <i>I</i>	1.25 <i>I0</i>	1188.54	10 ⁻	922.08	9 ⁻				1.0 <i>2</i>	
266.4 <i>I</i>	1.01 <i>I2</i>	685.7	7 ⁻	419.51	5 ⁻				3.4 <i>8</i>	I_γ : $I_\gamma(266\gamma)/I_\gamma(138\gamma)\leq 0.16$ (1998Dr07).
268.2 <i>7</i>	0.34 <i>I20</i>	786.85	6 ⁺	519.36	4 ⁺				1.8 <i>3</i>	I_γ : $I_\gamma(268\gamma)/I_\gamma(146\gamma)=0.31$ 6 (1998Dr07).
268.2 <i>I</i>	26.8 <i>9</i>	1020.44	13 ⁻	752.12	12 ⁻				48 <i>3</i>	$A_2=+0.10$ 5 (1998Dr07).
268.9 <i>I</i>	4.13 <i>I20</i>	1109.87	12 ⁺	840.74	11 ⁺				2.0 <i>3</i>	
269.7 <i>I</i>	2.79 <i>I8</i>	1326.87	11 ⁺	1057.00	10 ⁺				≈ 0.5	
277.6 <i>I</i>	3.39 <i>I6</i>	1490.15	12 ⁺	1212.27	11 ⁺				1.0 <i>3</i>	
282.4 <i>3</i>	0.37 <i>I11</i>	2186.6	14	1904.20	13					
282.6 <i>I</i>	6.4 <i>3</i>	1879.83	14 ⁻	1597.20	13 ⁻				6 <i>1</i>	
282.9 <i>I</i>	0.53 <i>8</i>	2943.61	18 ⁺	2660.43	17 ⁺					
285.3 <i>I</i>	14.3 <i>9</i>	463.07	7 ⁻	177.76	8 ⁺	E1(+M2)	<0.3	0.10 <i>6</i>	16.3 <i>22</i>	$\alpha(\text{exp})=0.30$ 11 (1999Sa59) from intensity balance, $\alpha(K)\text{exp}\leq 0.08$ (2000Dr11). Mult., δ : from $\alpha(K)\text{exp}$. Other: 0.65 19 from $\alpha(\text{exp})$ gives M2 strength inconsistent with RUL. $A_2=-0.13$ 4 (1998Dr07).
288.8 <i>I</i>	14.0 <i>5</i>	1309.49	14 ⁻	1020.44	13 ⁻		21 <i>3</i>			
289.3 <i>I</i>	3.3 <i>3</i>	599.35	7 ⁺	310.05	5 ⁺		5.7 <i>9</i>			
289.3 <i>I</i>	1.80 <i>I6</i>	1616.31	12 ⁺	1326.87	11 ⁺					
289.8 <i>I</i>	0.46 <i>9</i>	1478.37	11 ⁻	1188.54	10 ⁻		0.4 <i>2</i>			
290.1 <i>2</i>	0.41 <i>9</i>	2261.0	13 ⁽⁺⁾	1970.84	12 ⁽⁺⁾					
291.0 <i>2</i>	0.90 <i>I4</i>	806.77	9 ⁺	515.64	8 ⁺					
291.3 <i>I</i>	1.78 <i>I4</i>	1401.55	13 ⁺	1109.87	12 ⁺		0.6 <i>2</i>			
294.7 <i>I</i>	3.41 <i>I7</i>	1434.80	11 ⁺	1140.07	10 ⁺		2.5 <i>6</i>			
295.0 <i>5</i>	0.29 <i>9</i>	975.5	8 ⁻	679.97	8 ⁻					
297.9 <i>I</i>	1.41 <i>I10</i>	1788.16	13 ⁺	1490.15	12 ⁺		0.5 <i>1</i>			
299.9 <i>I</i>	1.45 <i>I5</i>	762.89	7 ⁻	463.07	7 ⁻		1.7 <i>3</i>			
302.4 <i>8</i>	2.0 <i>5</i>	893.9	(7 ⁺)	591.6	(5 ⁺)		2.0 <i>4</i>			
302.4 <i>I</i>	2.15 <i>I3</i>	2182.46	15 ⁻	1879.83	14 ⁻		≈ 1.5			
307.0 <i>I</i>	2.62 <i>I20</i>	1904.20	13	1597.20	13 ⁻		≈ 3			
308.2 <i>2</i>	0.59 <i>I2</i>	1924.80	13 ⁺	1616.31	12 ⁺					
308.9 <i>I</i>	7.2 <i>3</i>	1618.62	15 ⁻	1309.49	14 ⁻		10.9 <i>15</i>			

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued)

 γ (¹⁸⁰Ta) (continued)

E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult.#	δ	α	$I\gamma^&$	Comments
309.1 1	1.34 14	856.6	8 ⁻	547.3	6 ⁻				6.3 11	$I_\gamma: I\gamma(309\gamma)/I\gamma(171\gamma)=0.17$ 6 (1998Dr07).
309.7 1	0.46 8	3253.29	19 ⁺	2943.61	18 ⁺					
311.5 4	0.20 7	1790.12	12 ⁻	1478.37	11 ⁻					≈ 0.4
311.5 1	3.22 15	2899.4	19 ⁻	2587.9	18 ⁽⁺⁾	D			11.0 15	R(DCO)=0.9 2 (431 γ gated) (1999Sa59). $A_2=-0.40$ 17 (1998Dr07).
313.5 1	1.03 9	1715.34	14 ⁺	1401.55	13 ⁺					
315.2 2	1.17 19	956.16	7 ⁺	641.18	5 ⁺				2.0 6	$I_\gamma: I\gamma(315\gamma)/I\gamma(169\gamma)=0.78$ 16 (1998Dr07).
315.4 1	12.7 5	423.00	1 ⁻	107.60	0 ⁻	M1		0.1763	26.3 20	$\alpha(K)\exp=0.23$ 3 (2000Dr11). Mult.: from $\alpha(K)\exp$. $A_2=-0.11$ 3 (1998Dr07).
316.1 1	1.31 17	890.32	(7)	574.22	6 ⁻				0.5 2	
316.8 1	0.72 9	2105.05	14 ⁺	1788.16	13 ⁺				≈ 0.2	
318.8 1	6.8 4	734.22	8 ⁺	415.44	6 ⁺				3.9 7	$I_\gamma: I\gamma(319\gamma)/I\gamma(135\gamma)=1.4$ 6 (1998Dr07).
321.3 1	0.96 10	2503.95	16 ⁻	2182.46	15 ⁻				≈ 1	
325.5 @		1904.20	13	1580.7	(12)				≈ 3.5	
326.9 1	2.2 3	683.85	(6)	356.95	7 ⁺				2.5 3	
328.0 1	3.32 16	1946.80	16 ⁻	1618.62	15 ⁻				6.2 10	
332. @		907.0	(7)	574.22	6 ⁻				0.6 2	
332.5 1	2.08 23	1671.43	(12)	1338.93	11 ⁻				2.2 6	
332.5 2	0.41 8	2438.29	15 ⁺	2105.05	14 ⁺					
333.9 4	0.45 12	1057.00	10 ⁺	723.21	9 ⁺					
335. @		2122.8	13 ⁻	1788.16	13 ⁺				≈ 0.2	
335.1 1	0.55 23	519.36	4 ⁺	184.34	4 ⁺				6.8 8	
337.8 1	22.3 10	515.64	8 ⁺	177.76	8 ⁺	M1+E2	0.72 19	0.116 11	19.2 15	$\alpha(K)\exp=0.094$ 9 (2000Dr11). Mult., δ : from $\alpha(K)\exp$. R(DCO)=1.1 3 (441 γ E2 gated) (1999Sa59). $A_2=+0.35$ 5 (1998Dr07).
337.9 1	0.96 11	1967.47	13 ⁺	1629.55	12 ⁺					
339.8 1	48.2 18	1791.9	16 ⁻	1452.0	15 ⁻	(D)			22.1 18	R(DCO)=0.73 28 (880 γ gated) (1999Sa59). $A_2=+0.28$ 12 (1998Dr07).
339.8 6	0.21 9	2844.05	17 ⁻	2503.95	16 ⁻					
344.1 1	2.5 4	1076.2	(8 ⁺)	732.2	(6 ⁺)				5.2 8	$I_\gamma: I\gamma(344\gamma)/I\gamma(182\gamma)=1.5$ 2 (1998Dr07).
344.2 1	8.8 4	1941.40	14 ⁽⁺⁾	1597.20	13 ⁻	D			8.0 15	R(DCO)=0.7 2 (1092 γ E2 gated) (1999Sa59).
344.6 8	0.15 9	2672.1	(17 ⁺)	2327.6	(16 ⁺)					
344.7 1	1.71 14	1030.2	9 ⁻	685.7	7 ⁻				5.4 10	$I_\gamma: I\gamma(345\gamma)/I\gamma(174\gamma)=0.19$ 6 (1998Dr07).
346.8 1	1.79 23	477.46	2 ⁻	130.48	1 ⁻				3.8 8	
347.0 1	1.73 12	2294.05	17 ⁻	1946.80	16 ⁻				2.4 7	
349.0 1	3.98 23	723.21	9 ⁺	374.03	9 ⁺				2.8 7	
349.0 9	0.16 9	2787.54	16 ⁺	2438.29	15 ⁺					
354.4 2	0.39 6	2899.4	19 ⁻	2544.9	18 ⁻					
361. @a		956.13	10 ⁺	595.26	10 ⁺					
361.9 13	0.14 6	3148.1	17 ⁺	2787.54	16 ⁺					

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued) $\gamma(^{180}\text{Ta})$ (continued)

E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult.#	α	$I_\gamma^{\&}$	Comments
362.1 2	1.06 16	1148.72	8 ⁺	786.85	6 ⁺			1.7 3	$I_\gamma: I_\gamma(362\gamma)/I_\gamma(193\gamma)=1.3$ 4 (1998Dr07).
363.6 1	0.75 10	2657.82	18 ⁻	2294.05	17 ⁻		≈ 1		
364.9 1	23.9 8	2156.9	17 ⁻	1791.9	16 ⁻			11.6 16	$A_2=-0.06$ 4 (1998Dr07).
366.4 4	1.58 18	723.21	9 ⁺	356.95	7 ⁺			0.8 2	
372.8 1	6.8 4	543.73	(3 ⁻)	171.00	2 ⁻			3.6 5	
373.1 2	0.35 8	2343.9		1970.84	12 ⁽⁺⁾				
376.3 2	0.42 8	3047.8	(18 ⁺)	2672.1	(17 ⁺)				
376.7 1	3.15 20	976.01	9 ⁺	599.35	7 ⁺		2.4 5	$I_\gamma: I_\gamma(377\gamma)/I_\gamma(242\gamma)=0.50$ 2 (1998Dr07).	
378. @a		508.1?	(2)	130.48	1 ⁻				
379.4 1	4.29 19	2320.80	15 ⁽⁺⁾	1941.40	14 ⁽⁺⁾	D		4.0 9	R(DCO)=1.2 2 (344 γ gated) (1999Sa59).
383.7 1	2.2 3	1277.4	(9 ⁺)	893.9	(7 ⁺)			2.5 3	$I_\gamma: I_\gamma(384\gamma)/I_\gamma(201\gamma)=1.6$ 4 (1998Dr07).
384.0 @		423.00	1 ⁻	39.50	2 ⁺		≈ 1		
384.0 1	1.21 12	1240.7	10 ⁻	856.6	8 ⁻			3.8 8	$I_\gamma: I_\gamma(384\gamma)/I_\gamma(211\gamma)=0.30$ 7 (1998Dr07).
388.0 1	6.5 3	2544.9	18 ⁻	2156.9	17 ⁻			2.2 3	
397.1 1	2.44 13	2985.1	19 ⁽⁺⁾	2587.9	18 ⁽⁺⁾			8.8 7	
398.1 1	9.2 6	575.64	8 ⁺	177.76	8 ⁺			5.6 7	
400.4 1	1.55 10	2721.20	16 ⁽⁺⁾	2320.80	15 ⁽⁺⁾		≈ 3		
401.8 5	0.35 11	975.5	8 ⁻	574.22	6 ⁻				
402. @a		865.35	(7)	463.07	7 ⁻				
405.9 1	6.2 3	1140.07	10 ⁺	734.22	8 ⁺		3.0 6	$I_\gamma: I_\gamma(406\gamma)/I_\gamma(164\gamma)=1.4$ 7 (1998Dr07).	
407.5 @		1363.9	9 ⁺	956.16	7 ⁺		≈ 0.8		
408.8 1	3.6 14	519.36	4 ⁺	110.50	3 ⁺	M1	0.0883	45 12	$\alpha(K)\exp=0.082$ 7, $\alpha(L)\exp\leq 0.021$, $\alpha(M)\exp\approx 0.004$ (2000Dr11). Mult.: from $\alpha(K)\exp$. $A_2=-0.16$ 5 (1998Dr07).
409.2 1	2.43 17	2954.2	19 ⁻	2544.9	18 ⁻			≈1.5	
409.3 1	2.04 14	3308.6	20 ⁻	2899.4	19 ⁻	D		≈2.2	R(DCO)=1.1 2 (312 γ gated) (1999Sa59).
415.0 1	0.74 7	3400.1	20 ⁽⁺⁾	2985.1	19 ⁽⁺⁾			0.5 1	
416.7 1	1.24 11	1446.8	11 ⁻	1030.2	9 ⁻			3.2 7	$I_\gamma: I_\gamma(417\gamma)/I_\gamma(206\gamma)=0.6$ 2 (1998Dr07).
417.5 1	35.4 13	595.26	10 ⁺	177.76	8 ⁺	E2	0.0321	15.0 13	$\alpha(K)\exp=0.020$ 3 (2000Dr11). Mult.: from $\alpha(K)\exp$. $A_2=+0.24$ 7 (1998Dr07). $I_\gamma: I_\gamma(418\gamma)/I_\gamma(221\gamma)=2.3$ 4 (1998Dr07).
420.2 1	0.73 7	3141.40	17 ⁽⁺⁾	2721.20	16 ⁽⁺⁾				
422.0 1	1.62 21	1498.0	(10 ⁺)	1076.2	(8 ⁺)		1.4 4	$I_\gamma: I_\gamma(422\gamma)/I_\gamma(220\gamma)=1.9$ 7 (1998Dr07).	
424.0 @a		423.00	1 ⁻	0.0	1 ⁺				
428.0 1	22.1 9	505.03	11 ⁻	77.1	9 ⁻	Q		37 3	R(DCO)=1.1 4 (1092 γ E2 gated) (1999Sa59). $A_2=+0.33$ 10 (1998Dr07). $I_\gamma: I_\gamma(428\gamma)/I_\gamma(225\gamma)=0.29$ 2 (1998Dr07).
429.3 1	0.47 10	3738.0	21 ⁻	3308.6	20 ⁻			≈3	
429.4 1	1.00 14	3383.5	20 ⁻	2954.2	19 ⁻				
431.0 1	9.6 4	2587.9	18 ⁽⁺⁾	2156.9	17 ⁻	D		22.9 15	$A_2=-0.20$ 6 (1998Dr07).
431.7		1452.0	15 ⁻	1020.44	13 ⁻			40	E_γ : from 1998Dr07.

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued) γ (¹⁸⁰Ta) (continued)

E $_{\gamma}^{\dagger}$	I $_{\gamma}^{\ddagger}$	E _i (level)	J $_{i}^{\pi}$	E _f	J $_{f}^{\pi}$	Mult.	I $_{\gamma}^{\&}$	Comments
432.1 3	0.27 8	3831.8	21 ⁽⁺⁾	3400.1	20 ⁽⁺⁾			
432.8 1	3.56 23	806.77	9 ⁺	374.03	9 ⁺			\approx 1
438.6 1	1.50 19	515.64	8 ⁺	77.1	9 ⁻			
440.5 1	4.67 25	956.13	10 ⁺	515.64	8 ⁺		1.8 3	I $_{\gamma}$: I $_{\gamma}$ (441 γ)/I $_{\gamma}$ (233 γ)=0.58 5 (1998Dr07).
444.8 1	0.54 7	3828.3	21 ⁻	3383.5	20 ⁻			
448.3 1	0.57 5	4186.3	22 ⁻	3738.0	21 ⁻			
449.8 1	1.11 16	806.77	9 ⁺	356.95	7 ⁺			\approx 4
452.7 3	0.47 10	1215.6	9 ⁻	762.89	7 ⁻			
457.3 1	1.47 19	1734.7	(11 ⁺)	1277.4	(9 ⁺)			\approx 1
457.9 1	1.11 9	1698.5	12 ⁻	1240.7	10 ⁻			
458.8 1	2.30 15	1434.80	11 ⁺	976.01	9 ⁺			\approx 1.5
459.1 1	1.86 16	922.08	9 ⁻	463.07	7 ⁻		1.3 3	I $_{\gamma}$: I $_{\gamma}$ (459 γ)/I $_{\gamma}$ (242 γ)=1.15 2 (1998Dr07).
461.7 1	1.20 15	1057.00	10 ⁺	595.26	10 ⁺			
466.8 1	36.8 12	840.74	11 ⁺	374.03	9 ⁺		13.0 18	I $_{\gamma}$: I $_{\gamma}$ (467 γ)/I $_{\gamma}$ (245 γ)=7.4 18 (1998Dr07).
472.3 1	27.5 9	752.12	12 ⁻	279.93	10 ⁻		41.2 20	A ₂ =+0.17 7 (1998Dr07). I $_{\gamma}$: I $_{\gamma}$ (472 γ)/I $_{\gamma}$ (247 γ)=0.44 3 (1998Dr07).
473.8 1	2.0 3	830.75	(6)	356.95	7 ⁺		1.5 3	
473.8 2	1.15 23	2071.00		1597.20	13 ⁻			
474.4 2	0.63 14	2354.24		1879.83	14 ⁻			
481.5 1	1.30 16	1057.00	10 ⁺	575.64	8 ⁺	Q	1.6 3	R(DCO)=1.2 3 (398 γ gated).
489.1 1	5.4 3	1212.27	11 ⁺	723.21	9 ⁺		1.8 3	I $_{\gamma}$: I $_{\gamma}$ (489 γ)/I $_{\gamma}$ (256 γ)=1.20 14 (1998Dr07).
489.5 1	3.51 18	1629.55	12 ⁺	1140.07	10 ⁺			
494.7 11	0.12 7	1941.3	13 ⁻	1446.8	11 ⁻			
502.8 1	1.31 11	1904.40		1401.55	13 ⁺			
508.8 1	2.68 16	1188.54	10 ⁻	679.97	8 ⁻		1.0 3	I $_{\gamma}$: I $_{\gamma}$ (509 γ)/I $_{\gamma}$ (266 γ)=1.66 4 (1998Dr07).
514.6 1	27.4 9	1109.87	12 ⁺	595.26	10 ⁺		11.0 15	I $_{\gamma}$: I $_{\gamma}$ (515 γ)/I $_{\gamma}$ (269 γ)=5.0 9 (1998Dr07).
515.4 1	24.4 8	1020.44	13 ⁻	505.03	11 ⁻		50 4	A ₂ =+0.19 14 (1998Dr07). I $_{\gamma}$: I $_{\gamma}$ (515 γ)/I $_{\gamma}$ (268 γ)=0.94 10 (1998Dr07).
520.2 1	2.50 19	1326.87	11 ⁺	806.77	9 ⁺			
532.7 1	0.89 10	1967.47	13 ⁺	1434.80	11 ⁺			
533.7 1	0.93 9	2943.61	18 ⁺	2410.03	16 ⁺			
534.1 1	4.76 23	1490.15	12 ⁺	956.13	10 ⁺		1.4 3	I $_{\gamma}$: I $_{\gamma}$ (534 γ)/I $_{\gamma}$ (278 γ)=1.40 19 (1998Dr07).
535 @		890.32	(7)	356.95	7 ⁺		1.2 3	
541.4 1	0.84 8	2943.61	18 ⁺	2402.39	16 ⁺			
546.0 2	0.78 20	723.21	9 ⁺	177.76	8 ⁺			
553.5 10	0.12 9	2261.0	13 ⁽⁺⁾	1708.14	11 ⁽⁺⁾			
556.3 1	1.37 12	1478.37	11 ⁻	922.08	9 ⁻		1.1 2	I $_{\gamma}$: I $_{\gamma}$ (556 γ)/I $_{\gamma}$ (290 γ)=2.7 9 (1998Dr07).
557.5 1	18.3 6	1309.49	14 ⁻	752.12	12 ⁻	Q	33.7 22	A ₂ =+0.37 13 (1998Dr07). I $_{\gamma}$: I $_{\gamma}$ (558 γ)/I $_{\gamma}$ (289 γ)=1.25 12 (1998Dr07).
559.6 2	1.23 18	1616.31	12 ⁺	1057.00	10 ⁺			
561.0 1	16.7 6	1401.55	13 ⁺	840.74	11 ⁺		6.1 9	I $_{\gamma}$: I $_{\gamma}$ (561 γ)/I $_{\gamma}$ (291 γ)=5.2 18 (1998Dr07).
567.9 1	1.85 13	2197.45	14 ⁺	1629.55	12 ⁺			
576.1 1	3.82 19	1788.16	13 ⁺	1212.27	11 ⁺		0.9 3	I $_{\gamma}$: I $_{\gamma}$ (576 γ)/I $_{\gamma}$ (298 γ)=1.7 4 (1998Dr07).

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued)

<u>$\gamma(^{180}\text{Ta})$ (continued)</u>								
E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. [#]	$I_\gamma^{\&}$	Comments
582.4 2	0.93 16	956.13	10 ⁺	374.03	9 ⁺			
585.3 1	1.32 16	2182.46	15 ⁻	1597.20	13 ⁻		≈ 4.0	
592.8 2	0.63 8	3253.29	19 ⁺	2660.43	17 ⁺			
598.0 1	2.20 18	1924.80	13 ⁺	1326.87	11 ⁺			
598.3 1	14.6 5	1618.62	15 ⁻	1020.44	13 ⁻	22 2	I_γ : $I_\gamma(598\gamma)/I_\gamma(309\gamma)=2.0$ 3 (1998Dr07).	
600.1 1	1.22 11	2567.58	15 ⁺	1967.47	13 ⁺			
601.6 1	1.56 12	1790.12	12 ⁻	1188.54	10 ⁻		≈ 0.7	
605.6 1	16.7 6	1715.34	14 ⁺	1109.87	12 ⁺	Q	5.6 9	R(DCO)=1.1 2 (687 γ gated) (1999Sa59).
610.8 2	0.54 8	2660.43	17 ⁺	2050.21	15 ⁺			
614.8 1	2.92 16	2105.05	14 ⁺	1490.15	12 ⁺		0.9 2	
624.3 1	1.42 12	2503.95	16 ⁻	1879.83	14 ⁻		2.6 3	
629.3 16	0.65 21	806.77	9 ⁺	177.76	8 ⁺			
632.9 1	0.59 7	3532.3		2899.4	19 ⁻			
637.4 1	8.1 3	1946.80	16 ⁻	1309.49	14 ⁻		12.0 15	
644.4 2	0.53 8	2122.8	13 ⁻	1478.37	11 ⁻		≈ 0.4	
645.1 3	0.37 7	2842.5	16 ⁺	2197.45	14 ⁺			
648.8 1	4.97 23	2050.21	15 ⁺	1401.55	13 ⁺		2.0 4	
650.3 1	1.09 10	2438.29	15 ⁺	1788.16	13 ⁺		0.6 2	
661.6 1	0.78 10	2844.05	17 ⁻	2182.46	15 ⁻			
668@ <i>a</i>		775.8?	(2)	107.60	0 ⁻		≈ 1	
675.5 1	4.84 21	2294.05	17 ⁻	1618.62	15 ⁻		11.0 18	
678@ <i>a</i>	14 2	1035.0?	(7)	356.95	7 ⁺		1.4 2	
682.5 1	0.73 9	2787.54	16 ⁺	2105.05	14 ⁺		0.5 1	
687.0 1	4.12 20	2402.39	16 ⁺	1715.34	14 ⁺		1.5 3	
694.6 1	4.98 22	2410.03	16 ⁺	1715.34	14 ⁺		2.3 4	
696.7 4	0.34 8	3200.7	18 ⁻	2503.95	16 ⁻			
705.4 4	0.56 20	2156.9	17 ⁻	1452.0	15 ⁻	1.4 2	I_γ : $I_\gamma(705\gamma)/I_\gamma(365\gamma)=0.13$ 4 (1998Dr07).	
709.7 3	0.27 7	3148.1	17 ⁺	2438.29	15 ⁺			
711.2 1	2.57 14	2657.82	18 ⁻	1946.80	16 ⁻		≈ 6	
730.1 1	1.32 11	2780.31	17 ⁺	2050.21	15 ⁺		1.0 2	
742.4 6	0.20 8	2899.4	19 ⁻	2156.9	17 ⁻			
747.2 1	1.15 10	3041.25	19 ⁻	2294.05	17 ⁻		4.5 10	
753.0 1	1.06 15	2544.9	18 ⁻	1791.9	16 ⁻	0.6 2	I_γ : $I_\gamma(753\gamma)/I_\gamma(388\gamma)=0.29$ 11 (1998Dr07).	
765@ <i>a</i> 4	0.05 6	3173?	18 ⁺	2410.03	16 ⁺			
770.4 2	0.86 16	2562.3		1791.9	16 ⁻			
770.8 3	0.31 7	3173.2		2402.39	16 ⁺			
777.3 3	0.33 8	3435.1	20 ⁻	2657.82	18 ⁻		≈ 2.5	
794.2 8	0.22 9	1904.40		1109.87	12 ⁺			
797.4 1	0.91 11	2954.2	19 ⁻	2156.9	17 ⁻	0.5 1	I_γ : $I_\gamma(797\gamma)/I_\gamma(409\gamma)=0.25$ 8 (1998Dr07).	
804.3@ <i>a</i> 13	0.11 6	3582.9?	(19 ⁺)	2780.31	17 ⁺		≈ 0.5	
812.4 2	0.55 8	3400.1	20 ⁽⁺⁾	2587.9	18 ⁽⁺⁾	0.6 1	I_γ : $I_\gamma(812\gamma)/I_\gamma(415\gamma)=1.0$ 3 (1998Dr07).	
813.9@ <i>a</i> 4	0.22 6	3853.4?	(21 ⁻)	3041.25	19 ⁻	≈ 2		

¹⁷⁶Yb(¹¹B, α 3n γ),(⁷Li,3n γ) 1999Sa59,1998Dr07 (continued)

<u>γ(¹⁸⁰Ta) (continued)</u>								
E_γ^\dagger	I_γ^\ddagger	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. #	$I\gamma^{\&}$	Comments
838.2 2	0.68 10	3383.5	20 ⁻	2544.9	18 ⁻			
845.0 1	6.3 3	1597.20	13 ⁻	752.12	12 ⁻		7.4 18	
846.5 2	0.56 8	3831.8	21 ⁽⁺⁾	2985.1	19 ⁽⁺⁾		≈ 0.7	
875.7 11	0.17 11	2327.6	(16 ⁺)	1452.0	15 ⁻			
878.6 1	2.09 25	1252.64		374.03	9 ⁺			
880.4 1	2.64 22	2672.1	(17 ⁺)	1791.9	16 ⁻	(D)		R(DCO)=0.7 3 (340 γ M1 gated) (1999Sa59).
884.3 2	1.16 17	1389.34		505.03	11 ⁻			
890.6 11	0.21 11	3435.5	(19 ⁺)	2544.9	18 ⁻			
890.7 1	0.86 15	3047.8	(18 ⁺)	2156.9	17 ⁻			
894.9 1	3.3 3	1174.84	(11)	279.93	10 ⁻		≈ 8	
896.2 2	1.17 16	2006.08		1109.87	12 ⁺			
896.7 2	1.3 3	1270.73		374.03	9 ⁺			
1013.3 2	2.5 3	1293.24		279.93	10 ⁻			
1042.3 3	0.93 20	1546.51	(12)	505.03	11 ⁻			
1052.7 5	0.50 15	1805.61	(13)	752.12	12 ⁻			
1058.8 2	2.3 3	1338.93	11 ⁻	279.93	10 ⁻			
1063.7 1	1.87 19	1904.40		840.74	11 ⁺			
1090 @		1841.14	(13 ⁻)	752.12	12 ⁻			
1092.2 1	19.0 7	1597.20	13 ⁻	505.03	11 ⁻	Q	26 3	A ₂ =+0.23 9 (1998Dr07).
1183.6 2	2.2 3	1463.54		279.93	10 ⁻			
1261.9 1	37 6	1338.93	11 ⁻	77.1	9 ⁻		22 3	
1266.2 2	2.7 4	1546.51	(12)	279.93	10 ⁻			
1293.4 2	2.2 3	1573.34		279.93	10 ⁻			
1300.6 1	3.2 3	1805.61	(13)	505.03	11 ⁻			
1300.8 @		1580.7	(12)	279.93	10 ⁻		≈ 10	
1334.1 1	5.7 4	1708.14	11 ⁽⁺⁾	374.03	9 ⁺			
1336.1 1	2.64 23	1841.14	(13 ⁻)	505.03	11 ⁻		≈ 6	
1358.2 3	1.10 18	1863.2		505.03	11 ⁻			
1372.5 2	1.30 18	2124.63	(14)	752.12	12 ⁻			
1391.5 2	2.0 3	1671.43	(12)	279.93	10 ⁻			
1407.7 4	0.63 14	2159.8		752.12	12 ⁻			
1435.9 3	0.74 13	2456.3		1020.44	13 ⁻			

[†] From 1999Sa59, except where noted. 2002We01 have noted that the energies between 250 keV and 500 keV have a systematic discrepancy of about 0.4 keV compared with those from 1998Dr07 or 2002We01 (¹⁸⁰Hf(p,n γ),(d,2n γ)).

[‡] From 1999Sa59 at E(¹¹B)=57 MeV.

[#] From $\gamma(\theta)$ and R(DCO) in 1998Dr07 and 1999Sa59, respectively, except where noted.

[@] Observed only by 1998Dr07.

[&] From 1998Dr07. Authors state that values are indicative only, as they are from a number of different measurements.

^a Placement of transition in the level scheme is uncertain.


$^{176}\text{Yb}({}^{11}\text{B},\alpha 3n\gamma),({}^7\text{Li},3n\gamma)$ 1999Sa59,1998Dr07

Legend

Level Scheme

Intensities: Relative I_γ

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$
- - - → γ Decay (Uncertain)




$^{176}\text{Yb}(\text{ α },\text{3n} γ),(^7Li ,3n γ) 1999Sa59,1998Dr07$

Legend

Level Scheme (continued)

Intensities: Relative I_{γ}

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




$^{176}\text{Yb}(\text{ α ,3n γ },(\text{'Li},3n γ)) \quad 1999\text{Sa59,1998Dr07}$

Legend

Level Scheme (continued)

Intensities: Relative I_{γ}

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07

Level Scheme (continued)

Intensities: Relative I_γ

Legend

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$




$^{176}\text{Yb}({}^{11}\text{B},\alpha 3n\gamma),({}^7\text{Li},3n\gamma)$ 1999Sa59,1998Dr07

Legend

Level Scheme (continued)

Intensities: Relative I_γ

- $I_\gamma < 2\% \times I_{\gamma}^{max}$
- $I_\gamma < 10\% \times I_{\gamma}^{max}$
- $I_\gamma > 10\% \times I_{\gamma}^{max}$




$^{176}\text{Yb}(\text{ α ,3n γ },(\text{'Li},3n γ))$ 1999Sa59,1998Dr07

Legend

Level Scheme (continued)

Intensities: Relative I_{γ}

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$




$^{176}\text{Yb}({}^{11}\text{B},\alpha 3n\gamma),({}^7\text{Li},3n\gamma)$ 1999Sa59,1998Dr07

Legend

Level Scheme (continued)

Intensities: Relative I_γ

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$




$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07

Legend

Level Scheme (continued)

Intensities: Relative I_γ

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$
- ↔ γ Decay (Uncertain)




$^{176}\text{Yb}(\text{¹¹B},\alpha 3n\gamma),(\text{⁷Li},3n\gamma)$ 1999Sa59,1998Dr07

Legend

Level Scheme (continued)

Intensities: Relative I_γ

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$
- γ Decay (Uncertain)




$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07


Legend


Level Scheme (continued)


Intensities: Relative I_γ


- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$
- γ Decay (Uncertain)






$^{176}\text{Yb}(\text{¹¹B},\alpha 3n\gamma),(^7\text{Li},3n\gamma)$ 1999Sa59,1998Dr07

$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07 (continued)

$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07 (continued)

$^{176}\text{Yb}(\text{ ^{11}B , α , $3n\gamma$ },(\text{ ^7Li , $3n\gamma$ }) \quad 1999\text{Sa59,1998Dr07 (continued)}$ 

$^{176}\text{Yb}(\alpha, 3n\gamma), (^7\text{Li}, 3n\gamma)$ 1999Sa59, 1998Dr07 (continued)